RECEIVED CENTRAL FAX CENTER MAR 2 7 2007

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 1-50 (Cancelled)

51. (Previously Presented) A method comprising:

adding a first gas to an enclosure having a second gas through an inlet port having a plurality of discrete openings arranged to distribute a flow of the first gas over a length of a side of the enclosure, the first gas having a different composition than the second gas, the enclosure being between a mask protective device, a patterned mask, and walls connecting the mask protective device with the patterned mask, wherein the openings are in the walls connecting the mask protective device with the patterned mask; and

removing at least a portion of the second gas from the enclosure through one or more outlet ports.

- 52. (Previously Presented) The method of claim 51, wherein the inlet port comprises a slit in a wall.
- 53. (Cancelled)
- 54. (Previously Presented) The method of claim 51, wherein said removing comprises removing the second gas by vacuum.
- 55. (Previously Presented) The method of claim 51, wherein said adding comprises adding the first gas through an inlet port that is smaller than an outlet port.

Claims 56-63 (Cancelled)

- 64. (Previously Presented) The method of claim 51, wherein the openings of the inlet port are on said side of the enclosure.
- 65. (Previously Presented) The method of claim 51, wherein said adding comprises adding the first gas through at least five openings of the inlet port.
- 66. (Previously Presented) The method of claim 51, wherein the plurality of openings of the inlet port are arranged to encourage plug flow through the enclosure.
- 67. (Previously Presented) The method of claim 51, wherein said adding and said removing comprise adding the first gas by diffusion and removing the second gas by diffusion.
- 68. (Previously Presented) A method comprising:

adding a first gas to an enclosure having a second gas through an inlet port having a shape to distribute a flow of the first gas over a length of a side of the enclosure, the first gas having a different composition than the second gas, the enclosure being between a mask protective device, a patterned mask, and walls connecting the mask protective device with the patterned mask; removing at least a portion of the second gas from the enclosure through one or more outlet ports, wherein said adding and said removing comprise adding the first gas by diffusion and removing the

heating a gas in the enclosure to increase a diffusion coefficient.

Claim 69 (Cancelled)

second gas by diffusion; and

70. (Currently Amended) The method of claim 69, A method comprising:

adding a first gas to an enclosure including a second gas through a vent including a plurality of openings to distribute a flow of the first gas over a length of a side of the enclosure, the first gas

App. No. 10/759,641 -3 - Dkt. No. 42P10058D

having less total oxygen and carbon than the second gas, the enclosure being between a pellicle, a mask, and walls connecting the pellicle with the mask, wherein said adding comprises adding the first gas through a slit in a wall; and

3037406962

removing at least a portion of the second gas from the enclosure.

71. (Currently Amended) The method of claim 69, A method comprising:

adding a first gas to an enclosure including a second gas through a vent including a plurality of openings to distribute a flow of the first gas over a length of a side of the enclosure, the first gas having less total oxygen and carbon than the second gas, the enclosure being between a pellicle, a mask, and walls connecting the pellicle with the mask, wherein said openings are in a wall; and removing at least a portion of the second gas from the enclosure.

- 72. (Previously Presented) The method of claim 71, wherein two or more of the plurality of openings are on a same side of the enclosure.
- 73. (Currently Amended) The method of claim [[69]] 71, wherein said adding comprises adding the first gas through an inlet opening that is smaller than an outlet opening used to remove the second gas.
- 74. (Currently Amended) The method of claim [[69]] 71, wherein said adding comprises adding the first gas through at least five openings of the vent.
- 75. (Previously Presented) The method of claim 74, wherein the at least five openings are on a same side of the enclosure.
- 76. (Currently Amended) The method of claim [[69]] 71, wherein said adding comprises adding the first gas through a plurality of openings that are arranged to encourage plug flow through the enclosure.

App. No. 10/759,641 - 4 - Dkt. No. 42P10058D

77. (Currently Amended) The method of claim [[69]] 71, wherein said removing comprises removing the second gas by creating a vacuum in the enclosure.

Claims 78-80 (Cancelled)